

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	((Execute adj in adj place) OR (XIP)) and (serial NEAR5 flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 14:15
S2	11	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and (serial NEAR5 flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 14:18
S3	725	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 14:18
S4	79	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and (serial and flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 14:19
S5	68	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and (serial and flash) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:04
S6	68	((Execute OR execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and (serial and flash) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 14:44
S7	8	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and (serial NEAR4 flash NEAR4 memory) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:07
S8	127	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and ((serial NEAR4 flash NEAR4 memory) or (single and bit and (input or output))) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:08

S9	8	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and ((serial NEAR4 flash NEAR4 memory) or (single NEAR4 bit NEAR4 (input or output) NEAR4 (memory or memories))) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:09
S10	8	((Execute OR executed or execution) NEAR4 in NEAR4 place) OR (XIP)) and ((serial NEAR4 flash NEAR4 memory) or (single NEAR6 bit NEAR6 (input or output) NEAR6 (memory or memories))) and (control or controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:42
S11	14986	cache NEAR4 (control or controlling or controlled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:42
S13	1655	cache NEAR4 (control or controlling or controlled) AND ((xip or IP) OR (execute NEAR in NEAR place) OR (execute-in-place))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:44
S14	8	cache NEAR4 (control or controlling or controlled) AND ((xip or XIP) OR (execute NEAR in NEAR place) OR (execute-in-place))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 15:47
S17	5	cache NEAR4 (control or controlling or controlled) AND ((xip or XIP) OR (execute NEAR in NEAR place) OR (execute-in-place)) AND ((serial flash) or (NAND NEAR5 flash))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 17:23
S18	5	cache NEAR4 (control or controlling or controlled) AND ((xip or XIP) OR (execute NEAR in NEAR place) OR (execute-in-place)) AND ((serial flash) or ((NAND or "AND") NEAR5 flash))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 17:25
S19	8	cache NEAR4 (control or controlling or controlled) AND ((xip or XIP) OR (execute NEAR in NEAR place) OR (execute-in-place)) AND ((serial flash) or ((NAND or "AND") NEAR5 (flash or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 17:26

S20	8	cache NEAR4 (control or controlling or controlled) AND ((xip or XIP) OR (execute NEAR in NEAR place) OR (execute-in-place)) AND ((serial flash) or ((NAND or "AND") NEAR3 (flash or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/12 17:26
-----	---	---	---	-----	-----	------------------